



Solar Energy Materials & Solar Cells

SEVIER Solar Energy Materials & Solar Cells 79 (2003) 549–553

www.elsevier.com/locate/solmat

Author index to volume 79

Abe, T., see Bindu, K.	67
Agnihotry, S.A., see Varshney, P.	449
Ali, A.J., see Zainal, Z.	125
Altosaar, M., see Krustok, J.	401
Amao, Y., Y. Tomonou and I. Okura, Highly efficient photochemical hydrogen production	
system using zinc porphyrin and hydrogenase in CTAB micellar system	103
Bahadur, L. and P. Srivastava, Efficient photon-to-electron conversion with rhodamine 6G-sensitized nanocrystalline n-ZnO thin film electrodes in acetonitrile solution	235
Baikie, I., see Dirscherl, K.	485
Barkschat, A., see Lokhande, C.D.	293
Bautista-Hernández, A., G. Loaiza-González, L. Meza-Montes and U. Pal, Exciton energies of	273
wurtzite CdS nanoparticles	539
Bindu, K., C.S. Kartha, K.P. Vijayakumar, T. Abe and Y. Kashiwaba, CuInSe, thin film	337
preparation through a new selenisation process using chemical bath deposited selenium	67
Braga, A.F.B., see Pires, J.C.S.	347
braga, Art. by see 1 nes, occas.	541
Chen, Y.T., K.K. Chong, B.H. Lim and C.S. Lim, Study of residual aberration for non-imaging	
focusing heliostat	1.
Chong, K.K., see Chen, Y.T.	1
Das, D., see Jana, M.	519
Deb, S.K., see Ozkan, E.	439
Deepa, M., see Varshney, P.	449
del Cueto, J.A., see Osterwald, C.R.	21
Dhariwal, S.R. and S. Rajvanshi, Theory of amorphous silicon solar cell (a): numerical analysis	199
Dhariwal, S.R. and S. Rajvanshi, Theory of amorphous silicon solar cell (b): a five layer	
analytical model	215
Dirscherl, K., I. Baikie, G. Forsyth and A.v.d. Heide, Utilisation of a micro-tip scanning Kelvin	
probe for non-invasive surface potential mapping of mc-Si solar cells	485
Drechsel, J., see Gebeyehu, D.	81
Earp, A., see Smith, G.B.	163
Earp, A., see Smith, G.B.	179
Early, Any accommunity of De	1/9
The state of the s	
Fernández, A.M. and J.A. Turner, Preparation and photocharacterization of Cu-Sb-Se films by	201
electrodeposition technique	391
Fernandez, E., see Kuendig, J.	425
Forsyth, G., see Dirscherl, K.	485

Gadžurić, S., see Nikolić, R.	285
Garuthara, R., R. Wijesundara and W. Siripala, Characterization of CuInS2 thin films prepared	
by electrodeposition and sulfurization with photoluminescence spectroscopy	331
Gebeyehu, D., B. Maennig, J. Drechsel, K. Leo and M. Pfeiffer, Bulk-heterojunction	0.1
photovoltaic devices based on donor-acceptor organic small molecule blends Gentle, A., see Smith, G.B.	81 163
Gentle, A., see Smith, G.B.	179
Gerlach, L., see Kuendig, J.	425
Goetz, M., see Kuendig, J.	425
Gottschalg, R., D.G. Infield and M.J. Kearney, Experimental study of variations of the solar	120
spectrum of relevance to thin film solar cells	527
Gupta, B., A. Kapoor, R.M. Mehra, T. Soga, T. Jimbo and M. Umeno, Light-induced changes in	
the solar cell parameters and temperature coefficient of n-C/p-Si heterojunction solar cell	305
Hane, K., see Sai, H.	35
Heck, M., see Vince, J.	313
Heide, A.v.d., see Dirscherl, K.	485
Ho, K.C., see Varshney, P.	449
Honggang, F., see Liqiang, J.	133
Hussein, M.Z., see Zainal, Z.	125
Imoto, K., K. Takahashi, T. Yamaguchi, T. Komura, Ji. Nakamura and K. Murata, High-	
performance carbon counter electrode for dye-sensitized solar cells	459
Infield, D.G., see Gottschalg, R.	527
Year and the World I	101
Jagomägi, A., see Krustok, J.	401
Jaksic, N.I. and C. Salahifar, A feasibility study of electrochromic windows in vehicles	409
Jana, M. and D. Das, Microcrystallisation in Si:H: the effect of gas pressure in Ar-diluted SiH ₄ plasma	519
Jayachandran, M., see Subramanian, B.	57
Jeon, M., see Joo, H.	93
Jeong, H., see Joo, H.	93
Jimbo, T., see Gupta, B.	305
Jing, S., see Liqiang, J.	133
Joo, H., H. Jeong, M. Jeon and H. Moon, The use of plastic optical fibers in photocatalysis of	93
Jungho Pak, J., see You, J.	339
Kanamori, Y., see Sai, H.	35
Kang, J., see You, J.	339
Kapoor, A., see Gupta, B.	305
Kartha, C.S., see Bindu, K.	67
Kashiwaba, Y., see Bindu, K.	67
Kassim, A., see Zainal, Z.	125
Kassis, A., see Saad, M.	507
Kearney, M.J., see Gottschalg, R.	527
Köhl, M., see Vince, J.	313
Kilpi, R.J., see Konttinen, P.	273
Kim, D., see You, J. Kim, SS., JH. Yum and YE. Sung, Improved performance of a dye-sensitized solar cell	339
using a TiO ₂ /ZnO/Eosin Y electrode	495
Komura, T., see Imoto, K.	459
Konttinen, P., P.D. Lund and R.J. Kilpi, Mechanically manufactured selective solar absorber	437
surfaces	273

Auth	or	ind	ex	10	vol	ume	75

Krašovec, U.O., see Vince, J.	313
Krustok, J., A. Jagomägi, J. Raudoja and M. Altosaar, Photoluminescence properties of	
stoichiometric CuInSe ₂ crystals	401
Kuendig, J., M. Goetz, A. Shah, L. Gerlach and E. Fernandez, Thin film silicon solar cells for	
space applications: Study of proton irradiation and thermal annealing effects on the	
characteristics of solar cells and individual layers	425
Lee, SH., see Ozkan, E.	439
Leo, K., see Gebeyehu, D.	81
Lim, B.H., see Chen, Y.T.	1
Lim, C.S., see Chen, Y.T.	1
Liqiang, J., S. Xiaojun, S. Jing, C. Weimin, X. Zili, D. Yaoguo and F. Honggang, Review of	
surface photovoltage spectra of nano-sized semiconductor and its applications in	
heterogeneous photocatalysis	133
Loaiza-González, G., see Bautista-Hernández, A.	539
Lokhande, C.D., A. Barkschat and H. Tributsch, Contact angle measurements: an empirical	23.
diagnostic method for evaluation of thin film solar cell absorbers (CuInS ₂)	293
Lund, P.D., see Konttinen, P.	273
	-/-
M ' B C B	0.1
Maennig, B., see Gebeyehu, D.	81
Marinović-Cincović, M., see Nikolić, R.	285
Maruyama, T. and H. Minami, Light trapping in spherical silicon solar cell module	113
McMahon, T.J., see Osterwald, C.R.	21
Mehra, R.M., see Gupta, B.	305
Mei, P.R., see Pires, J.C.S. Mero Montos L. see Poutieto Hornándoz A	34° 539
Meza-Montes, L., see Bautista-Hernández, A.	
Minami, H., see Maruyama, T. Miyazaki, H., T. Ota and I. Yasui, Design of ITO/transparent resin optically selective	11.
transparent composite	5
Moon, II., see Joo, H.	9:
Mronga, N., see Smith, G.B.	16.
Mronga, N., see Smith, G.B.	179
Murata, K., see Imoto, K.	45
Muto, J. and M. Suzuki, An analysis of the electrical characteristics of DSC under	43
inhomogeneous solar illumination	26:
innonlogeneous solar munimation	~U.
	4.5
Nakamura, Ji., see Imoto, K.	45
Nikolić, R., M. Marinović-Cincović, S. Gadžurić and I.J. Zsigrai, New materials for solar	20
thermal storage—solid/liquid transitions in fatty acid esters	28
Okura, I., see Amao, Y.	10
Orel, B., see Vince, J.	31
Osterwald, C.R., T.J. McMahon and J.A. del Cueto, Electrochemical corrosion of SnO ₂ :F	
transparent conducting layers in thin-film photovoltaic modules	2
Ota, T., see Miyazaki, H.	5
Ozkan, E., SH. Lee, C.E. Tracy, J.R. Pitts and S.K. Deb, Comparison of electrochromic	
amorphous and crystalline tungsten oxide films	43
Pal, U., see Bautista-Hernández, A.	53
Perera, V.P.S. and K. Tennakone, Recombination processes in dye-sensitized solid-state solar	
cells with CuI as the hole collector	24
Pfeiffer, M., see Gebeyehu, D.	8

Pires, J.C.S., A.F.B. Braga and P.R. Mei, Profile of impurities in polycrystalline silicon samples	
purified in an electron beam melting furnace	34
Pitts, J.R., see Ozkan, E.	43
Rajvanshi, S., see Dhariwal, S.R.	19
Rajvanshi, S., see Dhariwal, S.R.	21
Raudoja, J., see Krustok, J.	40
Rault, F.K. and A. Zahedi, Computational modelling of the reflectivity of AlGaAs/GaAs and	
SiGe/Si quantum well solar cells	47
Richards, B.S., Single-material TiO2 double-layer antireflection coatings	36
Saad, M. and A. Kassis, Effect of interface recombination on solar cell parameters	50
Sai, H., H. Yugami, Y. Kanamori and K. Hane, Solar selective absorbers based on two-	
dimensional W surface gratings with submicron periods for high-temperature photothermal	
conversion	3
Salahifar, C., see Jaksic, N.I.	40
Sanjeeviraja, C., see Subramanian, B.	5
Scarminio, J., Stress in photochromic and electrochromic effects on tungsten oxide film	35
Shah, A., see Kuendig, J.	42
Sik Kang, C., see You, J.	33
Siripala, W., see Garuthara, R.	33
Smith, G.B., A. Gentle, P. Swift, A. Earp and N. Mronga, Coloured paints based on coated	
flakes of metal as the pigment, for enhanced solar reflectance and cooler interiors:	
description and theory	16
Smith, G.B., A. Gentle, P.D. Swift, A. Earp and N. Mronga, Coloured paints based on iron	
oxide and silicon oxide coated flakes of aluminium as the pigment, for energy efficient paint:	
optical and thermal experiments	11
Soga, T., see Gupta, B.	30
Srivastava, P., see Bahadur, L.	23
Subramanian, B., C. Sanjeeviraja and M. Jayachandran, Photoelectrochemical characteristics of	
brush plated tin sulfide thin films	4
Sun, SS., Design of a block copolymer solar cell	25
Sung, YE., see Kim, SS.	49
Šurca Vuk, A., see Vince, J.	31
Suzuki, M., see Muto, J.	26
Swift, P., see Smith, G.B.	10
Swift, P.D., see Smith, G.B.	1
Takahashi, K., see Imoto, K.	4:
Tennakone, K., see Perera, V.P.S.	2.
Tomonou, Y., see Amao, Y.	10
Tracy, C.E., see Ozkan, E.	4.
Tributsch, H., see Lokhande, C.D.	29
Turner, J.A., see Fernández, A.M.	39
Umeno, M., see Gupta, B.	36
Varshney, P., M. Deepa, S.A. Agnihotry and K.C. Ho, Photo-polymerized films of lithium ion	
conducting solid polymer electrolyte for electrochromic windows (ECWs)	4
Vijayakumar, K.P., see Bindu, K.	
Vince, J., A. Šurca Vuk, U.O. Krašovec, B. Orel, M. Köhl and M. Heck, Solar absorber coatings	
based on CoCuMnO, spinels prepared via the sol-gel process: structural and optical	
properties	3

Author index to volume 79	553
Weimin, C., see Liqiang, J.	13:
Wijesundara, R., see Garuthara, R.	33
Würfel, P., Improvement of solar cell efficiencies by impurity transitions	15.
Xiaojun, S., see Liqiang, J.	13:
Yamaguchi, T., see Imoto, K.	45
Yaoguo, D., see Liqiang, J.	13.
Yasui, I., see Miyazaki, H.	5
You, J., J. Kang, D. Kim, J. Jungho Pak and C. Sik Kang, Copper metallization for crystalline	
Si solar cells	33
Yugami, H., see Sai, H.	3
Yum, JH., see Kim, SS.	49

Zainal, Z., A.J. Ali, A. Kassim and M.Z. Hussein, Electrodeposition of tin selenide thin film semiconductor: effect of the electrolytes concentration on the film properties 471

125

133

285

Zahedi, A., see Rault, F.K.

Zili, X., see Liqiang, J.

Zsigrai, I.J., see Nikolić, R.



Solar Energy Materials & Solar Cells 79 (2003) 555-556

www.elsevier.com/locate/solmat

Subject index to volume 79

Activated carbon electrode	459	Electrochemical corrosion	21
ADVISOR	409	Electrochromic devices	449
AlGaAs/GaAs	471	Electrochromic switchable glazing	409
Amorphous carbon	305	Electrochromic Windows	409
Amorphous silicon	199, 215	Electrochromism	357, 439
Analytical model	215	Electrodeposition	391
Annealing	425	Electron beam melting furnace	347
Antireflection coating	369	Energy barrier	495
		Energy efficient coloured paint	179
Brush plating	57	Exciton energies	539
Bulk heterojunction	81		
Bundled array	93	Fatty acid esters	285
C/Al ₂ O ₃ /Al	273	Film properties	125
Camphor	305		
Carrier recombination	249	Grinding	273
Cetyltrimethylammonium bromide	103		
Chemical bath deposition	67	Hetero-junction	507
Coated flaky metal	163, 179	High-resolution scanning Kelvin probe	485
Coloured paint	163	High temperature	35
Composite	51	Hole trapping	249
Computational modelling	471	Hydrogenase	103
Conjugated block copolymers	257		
Contact angle measurement	293	Impurities	153
Conversion efficiency	293	Inhomogeneous excitation	265
Copper-antimony-selenide	391	Interface states	507
Copper (I) iodide	249	Interference	163, 179
CulnS ₂ absorber	293	IR spectroscopy	313
CuInSe ₂	67, 401	ITO	51
Cu metallization	339		
Current-voltage characteristics	265	KCN treatment	293
Diffusion barrier	339		
DLAR	369	Leakage currents	21
Donor/acceptor blend	81	Light irradiation	305
Donor-acceptor pairs	401		
Doped transport layers	81	Mechanical manufacturing	273
Double-layer	369	Metal/semiconductor interfaces	81
Dve sensitized solar cell	265, 459, 495	Microcrystalline	425
Dye-sensitization	235, 249	Microcrystalline silicon	519
		Microstructure	35
EC glass	409	Module	113
Efficiency	153	Multi-crystalline silicon	485
		.,	.02

Nanocrystalline PEC	265	Shunt detection	40.5
Nanocrystalline ZnO thin film	235	SiGe/Si	485
Nanoparticles	133, 539	Si solar cells	471
n-C/p-Si heterojunction solar cell	305		339
Non-imaging focusing heliostat	1	Solar control	153, 249, 293, 507
Non-invasive surface charge profiling	485	Solar selective absorber	163, 179
Numerical analysis	199	Solar thermal energy	35
ramental analysis	199	Solar thermal system	35
One-step cathodic electrodeposition	495	Sol-gel	313
Optically selective transparent	51	Solid polymer electrolytes	449
Optical properties	539	Solid solution	401
Organic solar cells	81	Spectral effects	527
	01	Spectral radiation	527
Passive solar buildings	285	Spectral variation	527
Phase transitions	285	Spectrally selective coatings	313
Photocatalysis	93, 133	Spectroscopic ellipsometry	369
Photocatalyst	93	Spherical silicon	113
Photochemical hydrogen production	103	Stability	313
Photochromism	357	Static solar concentrator	
Photocurrent mapping	293	Stress	113
Photoluminescence	331, 401	Sun tracking	357
Photovoltaic cells	249	Surface grating	1
Photovoltaic device	257	Surface grating Surface photovoltage spectra	35
Photovoltaic energy	347	Surface potential mapping	133
Photovoltaics	21	Surface potential mapping Surface properties	485
Plastic optical fiber	93	Surface properties	133
Plastic solar cell	257	Temperature coefficient	20.5
Polycrystalline CuInS-	331	Ternary semiconductor	305
Polycrystalline silicon	347	Thermal evaporation	391
Polymer nanostructures	257	Thermal storage	439
Protective coatings	313	Thermal storage Thermodynamic limit	285
Proton irradiation	425	Thin-film modules	153
Prussian blue	449	Thin film solar cells	21
i i ussian one	449	Thin films	425, 527
Quantum well solar cell	471	Tinn nims	57, 125
Qualitum wen solal cen	4/1	TiN	339
Radiative transitions	1.63	Tin oxide	339
Raman spectroscopy	153 519		21
Recombination		Tin selenide	125
Recombination rate	507	Tin sulfide	57
Reflectivity	495	Titanium dioxide	369, 459
Residual aberration	471	Total internal reflection	113
	1	Transmission electron microscop	
RF glow discharge Rhodamine 6G	519	Tungsten oxide	439, 449
Rhodamine 6G	235		
Company I amplication		Vacuum coevaporation deposition	
Seasonal variation	527	VSOLE	409
Selective solar surface	273		
Selenisation	67	Zinc porphyrin	103
Semiconductors	133, 539	ZnO layer	495

